Class I

Air Quality Operating Permit (AQOP), Operating Permit to Construct (OPTC), and Prevention of Significant Deterioration (PSD)

Application Form

Facility Name: Click or tap here to enter text.

Existing Facility ID: AClick or tap here to enter text.

Existing Class I AQOP/OPTC: APClick or tap here to enter text.

Type of Facility: Click or tap here to enter text.

Number of Units (including IA's) in Facility: Click or tap here to enter text. Number of Units (including IA's) Affected in Action: Click or tap here to enter text.

Application Type:

□ New AQOP	
☐ Minor Revision of Existing AQOP	☐ Rollover OPTC to Existing AQOP
☐ Significant Revision of Existing AQOP	☐ Administrative Revision of Existing AQOF
☐ Renewal of Existing AQOP	☐ New PSD AQOP
□ New OPTC	☐ Major PSD Revision of AQOP
☐ Revision of OPTC	□ New PSD OPTC
☐ Rollover OPTC to a New AQOP	☐ Major PSD Revision of OPTC



Please Submit Application to:

Nevada Division of Environmental Protection Bureau of Air Pollution Control, Class I Permitting Branch 901 South Stewart Street, Suite 4001 Carson City, Nevada 89701-5249 Phone (775) 687-9349

February 2021 (Ver. 4)

IMPORTANT INFORMATION

- The Application packet contains:
 - o General Company Information Form
 - o Industrial Process Application Form
 - Combustion Equipment Application Form
 - Storage Silo Application Form
 - Liquid Storage Tanks Application Form
 - o Facility-Wide Potential to Emit Table
 - Surface Area Disturbance Form
 - Plant Boundary Coordinates Form
 - o Plant Building Parameters Forms
 - o Application Certification Document with Required Attachments
- Please see the Guidance Document located at https://ndep.nv.gov/air/permitting/download-permit-forms for additional instructions on how to complete the application.
- The application is available from the Nevada Division of Environmental Protection Bureau of Air Pollution Control (BAPC) in a Microsoft Word file, or on the internet at https://ndep.nv.gov/air/permitting/download-permit-forms. A printed copy of the application must be submitted (mailed or hand delivered), along with an electronic version.
- The application filing fee required by Nevada Administrative Code (NAC) 445B.327 must be submitted with the completed application. Checks must be made payable to the "Nevada State Treasurer, Environmental Protection" with "BAPC" noted in the memo line. Fees may also be submitted electronically at https://epayments.ndep.nv.gov/.
- This application shall be used for a new, renewal, and revision of Class I sources, including AQOP, OPTC, rollover OPTC, and PSD actions.
- An application for a Class I AQOP, OPTC, and PSD must be signed by the Responsible Official, as defined in NAC 445B.156. The certification document (signature page) is the last page of the application and the original "wet" signature must be provided.
- All items in the application must be addressed. If an item does not apply "N/A" or similar notation must be entered in the appropriate blank. All other information must be provided. Incomplete applications will be returned to the Responsible Official within:
 - o 45 days for a new or revision of Class I OPTC. (NAC 445B.3364(1))
 - o 30 days for sources subject to permitting requirements set forth in 40 CFR 52.21 applying for a new or revision of Class I PSD OPTC. (NAC 445B.3364(2))
 - o 60 days for a new, significant revision, or renewal of Class I AQOP. (NAC 445B.3395(1), NAC 445B.3443(3))
 - o 10 working days for a minor revision of Class I AQOP. (NAC 445B.3395(5))
 - o 30 days for sources subject to permitting requirements set forth in 40 CFR 52.21 applying for a new of Class I PSD. (NAC 445B.3395(2))
 - o 45 days for an administrative revision of Class I OPTC. (NAC 445B.3441(2) and NAC 445B.3364(1))

IMPORTANT INFORMATION (continued)

- For the renewal of a Class I Operating Permit, a **complete** application and corresponding processing fee must be submitted in accordance with NAC 445B.3443(2) at least 240 days prior to the expiration date of the current permit but not earlier than 18 months. The BAPC suggests that the application be submitted well in advance of the timeline outlined in NAC 445B.3443 to ensure the application is deemed complete. The BAPC has 60 days to deem the application complete or incomplete. As stated above, incomplete applications will be returned within 60 days of the receipt of the application. Therefore, the BAPC recommends the application be submitted at least 300 days prior to expiration of the current permit.
- For stationary sources subject to the provisions regarding new source review set forth in United States Code (U.S.C.) Title 42 7501 through 7515, inclusive (nonattainment areas), include all information required by U.S.C. Title 42 7503 pursuant to NAC 445B.3363(2)(b)(3).
- For a proposed new major source or a proposed major modification to an existing stationary source that is subject to the provisions of 40 CFR 52.21, include all information required by 40 CFR 52.21 pursuant to NAC 445B.3368(3)(a).
- For a proposed new major source, or a proposed significant revision to an existing stationary source which is not subject to the provisions of 40 CFR 52.21, include all information as required by NAC 445B.308 through 445B.313, inclusive, pursuant to NAC 445B.3368(3)(b).
- For a proposed new major source or a proposed significant revision to an existing stationary source which is subject to the requirements of U.S.C. Title 42 7412 regarding hazardous air pollutants, include all information required by NAC 445B.308 through 445B.313, inclusive, pursuant to NAC 445B.3368(3)(c).

GENERAL COMPANY INFORMATION FORM

Company [NAC 445]			Address	that	are	to	appear	on	the	operating	permit
Name:											
Address: City:											
State:											
Owner's N	ame and	Addr	ess [NAC	445B.2	95(1)]	:					
Name:											
Address:											
City: State:						n Co	de:				
		Physic	al Addres	s, if dif	ferent	froi	m #2 [NA	C 44	5B.29	5 (1)]:	
Facility Na	me and	ı ilybic		,							
Name:		·		•							
Name: Address:											
Name:				,							
Name: Address: City: State:	required	l unde	er the ope	rating	Zij	p Co	de:			ntion other	
Name: Address: City: State: If records	required	l unde	er the ope ion [NAC	rating 445B.2	Zipermi	p Co it wi	de: Il be kep	ot at a	a loca	ation other	
Name: Address: City: State: If records facility, specific specifi	required	l unde	er the ope	erating 445B.2	Zij permi 95(7)]	p Co it wi	de:ll be kep	ot at a	a loca	ation other	than the
Name: Address: City: State: If records facility, spe	required	l unde	er the ope	rating 445B.2	Zij permi 95(7)]	p Co it wi	de:	ot at :	a loca	ition other	than the

GENERAL COMPANY INFORMATION FORM (continued)

•	,	s [NAC 445B.295(1)]:
Name:		
Title:		
Address:		
City:		
State:		ode:
Phone Number:	(XXX) XXX-XXXX	
Fax Number: E-mail Address:	(xxx) xxx-xxxx	
Plant Manager o	r other appropriate Contact Name, T	Title and Address [NAC 445B.295(1)]
Name:		
Title:		
Address:		
City:		
State:		ode:
Phone Number:	(XXX) XXX-XXXX	
Fax Number:	(XXX) XXX-XXXX	
E-mail Address:		
E-mail Address: Location and Dri south of I-80 at xx	ving Directions to the Facility (For Interchange) [NAC 445B.295(8)]:	
E-mail Address: Location and Dri south of I-80 at xx Hydrographic Ba HA Basin Name:	ving Directions to the Facility (For Interchange) [NAC 445B.295(8)]:	Example: From Elko, Nevada, 4 mil
E-mail Address: Location and Dri south of I-80 at xx Hydrographic Ba HA Basin Name: Township(s):	Iving Directions to the Facility (For It is Interchange) [NAC 445B.295(8)]: Issin (HA) Number: N; Range(s): It is for the Front Gate of the Facility (NAC 445B.295(8))	Example: From Elko, Nevada, 4 mil E; Section(s): AD 83, Zone 11):
E-mail Address: Location and Dri south of I-80 at xx Hydrographic Ba HA Basin Name: Township(s): UTM Coordinate	ving Directions to the Facility (For I x Interchange) [NAC 445B.295(8)]: asin (HA) Number: N; Range(s): es for the Front Gate of the Facility (NAm North;	Example: From Elko, Nevada, 4 mile E; Section(s): AD 83, Zone 11): m East;
E-mail Address: Location and Dri south of I-80 at xx Hydrographic Ba HA Basin Name: Township(s): UTM Coordinate Nearest City:	Iving Directions to the Facility (For It is Interchange) [NAC 445B.295(8)]: Issin (HA) Number: N; Range(s): It is for the Front Gate of the Facility (NAC 445B.295(8))	Example: From Elko, Nevada, 4 mil E; Section(s): AD 83, Zone 11): m East;
E-mail Address: Location and Dri south of I-80 at xx Hydrographic Ba HA Basin Name: Township(s): UTM Coordinate	ving Directions to the Facility (For I x Interchange) [NAC 445B.295(8)]: asin (HA) Number: N; Range(s): es for the Front Gate of the Facility (NAm North;	Example: From Elko, Nevada, 4 mil E; Section(s): AD 83, Zone 11): m East;

GENERAL COMPANY INFORMATION FORM (continued)

9.		ssion Cap Requested [NAC 445B.070, NAC 445B.296(2), NAC 445B.296(3)]:					
		Yes □ No (If yes, provide details in the attached Process Narrative)					
10.	Liquid Storage Tank Application Forms: forms need to be included for all permitted emissi and insignificant activities. Provide additional forms as needed. All items in the application be addressed. If an item does not apply, then "N/A" or similar notation (TDB, unknown must be entered in the appropriate blank.						
11.	Che	ck one that applies:					
		Major Stationary Source [40 CFR 52.21]					
		Minor Source [40 CFR 71.2]					
		New Source Review (NSR) Synthetic Minor Source [40 CFR 49.167]					
12.	Fede prot	Is the Facility subject to 40 CFR 51.307 and 52.21(p) (i.e., located within 100 km of a Class I Federal Area within Nevada and any adjacent states, for example Jarbidge Wilderness Area) protected by the Regional Haze Program (40 CFR Part 81)? ☐ Yes ☐ No					
13.		ck any of the following that apply to this application:					
		Involve significant changes to the existing requirements for monitoring, reporting, or recordkeeping.					
		Require or change a determination of an emission limitation or other standard on a case-by-case basis.					
		Require or change a visibility or increment analysis.					
		Require or change a determination of ambient impact for any temporary source.					
		Establish or change a condition of the operating permit for which there is no a federally enforceable emissions cap and/or an alternative emission limitation pursuant to U.S.C. Title 42 7412(i)(5).					
		Result in an increase in allowable emissions that exceeds any of the following specified thresholds: Carbon monoxide, 100 tons per year; Nitrogen oxides, 40 tons per year; Sulfur dioxide (SO ₂), 40 tons per year; Particulate Matter less than or equal to 10 microns in diameter (PM ₁₀), 15 tons per year; Ozone (O ₃), 40 tons per year of volatile organic compounds (VOC); Sulfuric acid mist, 7 tons per year; and Hydrogen sulfide (H ₂ S), 10 tons per year.					
		Modification pursuant to any provision of U.S.C. Title 42 7401 to 7515, inclusive,					
		or a major modification at an existing major stationary source. y of the boxes were checked above, a minor revision may not be made to the Class					
	I Op	erating Permit pursuant to NAC 445B.3425.					
14.	Will	the Facility be constructed in more than one phase [NAC 445B.3395(17)]?					
	\square Y	'es □ No (If yes, provide details in the attached Process Narrative)					

GENERAL COMPANY INFORMATION FORM (continued)

Will the facility violate any "Applicable requirement" pursuant to NAC 445B.019? ☐ Yes ☐ No					
6. Verify facility's compliance status for the following regulations and describe the reason for exemption if applicable:					
	FEDERALLY EN	NFORCEABLE REQ	UIREMENTS		
NAC 445B.225	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.315(3)(h)	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.315(3)(i)	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.315(3)(k)	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
40 CFR 52.21(r)(4)	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.252	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.22067	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.22093	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.22037	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.227	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
40 CFR Parts 60.1-60.19, 61.01-61.19, 63.1-63.15, and 70	☐ Compliant	□ Not Compliant	☐ Exempt, Reason for Exemption		
40 CFR Part 82	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.230	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
NAC 445B.22017	☐ Compliant	☐ Not Compliant	☐ Exempt, <i>Reason for Exemption</i>		
	STA	TE REQUIREMENT	'S		
NRS 445B.470	☐ Compliant	☐ Not Compliant	☐ Exempt, Reason for Exemption		
NAC 445B.22013	☐ Compliant	□ Not Compliant	☐ Exempt, Reason for Exemption		
NAC 445B.326(1)	☐ Compliant	□ Not Compliant	☐ Exempt, Reason for Exemption		
NAC 445B.22087	☐ Compliant	☐ Not Compliant	☐ Exempt, Reason for Exemption		
NAC 459.952- 459.95528	☐ Compliant	□ Not Compliant	☐ Exempt, Reason for Exemption		
 Has the facility provided modeling for each non-combustion baghouse individually? (See Testing Determination System for Baghouses Guidance Document) Yes □ No 					

INDUSTRIAL PROCESS APPLICATION FORM CLASS I OPERATING PERMIT

System Numbe	er and Name:		
Emission Unit	Description:		
_	rating Scenario: \square Yes \square No ctivity: \square Yes \square No If yes, identify exemp	tion regulation	n:
	Description		Data
	BAPC Emission Unit ID Applicable for Renewal or Revision	eg. Unit ID: S2.001, PF1.001	
	Source Classification Code (SCC)	e.g. 3-03- 024-04 for Conveyors	
	Manufacturer		
	Date Manufactured		
Equipment	Model Number		
Description	Equipment Dimensions (LxWxH)	feet	
-	Drop Length if applicable	feet	
	Drop Height if applicable	feet	
	The Drop Height is measured from the \Box top of the dr		
	the Drop Length, in reference to the grou		pplicable
	Drop Horizontal Dimension 1 if applicable	feet	
	Drop Horizontal Dimension 2 if applicable	feet	
T	Emissions Released Inside building?	yes/no	
Location of Emission	UTM Northing (NAD 83, Zone 11)	m	
Source	UTM Easting (NAD 83, Zone 11)	m	
	Material Type Processed		
Operating	Batch Process if applicable	unit/batch	
Parameters	Start Time if operating less than 24 hours/day	hour:minute	
	End Time if operating less than 24 hours/day	hour:minute	
Control	Manufacturer		
Control Equipment	Manufacturer's Guarantee included? If "yes", attach manufacturer's sheets immediately after these forms.	yes/N/A	
	Stack Height	Feet	
	Stack Inside Diameter	Feet	
	Stack Temperature	°F	
Stack	Stack Exit Velocity	feet/second	
Parameters	Actual Gas Volume Flow Rate	Acfm	
	Dry Gas Volume Flow Rate If not included in detailed calculations.	dscfm	

□ vertical

 \Box capped

Stack Release Type

 \square horizontal

INDUSTRIAL PROCESS APPLICATION FORM CLASS I OPERATING PERMIT (continued)

En	nission Unit Description:
1.	Subject to a Federal Regulation specific to the emission unit (e.g. 40 CFR Part 60, 61, 63, 64, 76, or other): Yes No If yes, identify regulation and applicability and include required analysis or plans (e.g. siting analysis or Continuous Assurance Monitoring (CAM) plans).
2.	Subject to a State Regulation specific to the emission unit (e.g. NAC 445B.22033, NAC 445B.22017): ☐ Yes ☐ No If yes, identify regulation and applicability.
3.	Identify standards for work practices which affect emissions for all regulated air pollutants (e.g. At all times, including startup, shutdown and malfunction).
4.	Identify and describe compliance and performance testing with reference to any applicable test methods, monitoring devices, compliance plan, or other activities required to determine compliance with an applicable requirement (e.g. Emissions from this unit will be monitored by CEMS and/or COMS for the specific pollutant(s) (NO _X , CO, etc.)).
5.	How will throughput be monitored for this emission unit? Identify if the throughput will be monitored at this emission unit or at another emission unit and the method (e.g. weigh belt).

COMBUSTION EQUIPMENT APPLICATION FORM CLASS I OPERATING PERMIT

System Number and Name:	
Emission Unit Description:	
Alternative Operating Scenario: Yes No	
Insignificant Activity: \square Yes \square No If yes, identify exemption regulation:	

	Description			Data	
	BAPC Emission Unit ID			Data	a
	Applicable for Renewal or Revision	eg. Unit ID: S2.001			
Equipment	Source Classification Code (SCC)	e.g. 3-03-024-04 for Conveyors			
Description	Manufacturer				
	Date Manufactured				
	Model and Serial Number				
	Emissions Released Inside building?	yes/no			
For Reciprocating	Type of Engine Code (See Notes*)				
Internal	Date Constructed	month/day/yr			
Combustion Engines	Cylinder Displacement	liter/cylinder			
(RICE) Only	EPA Tier #				
Location of Emission	UTM Northing (NAD 83, Zone 11)	m			
Source	UTM Easting (NAD 83, Zone 11)	m			
	Fuel Type				
	Fuel Flow Meter Installed?	yes/no/NA			
Operating Parameters	Sulfur Content	%			
/Fuel Usage	Heat Content	Btu/ <i>unit</i>			
/I was assume	Start Time if operating less than 24 hours/day	hour:minute			
	End Time if operating less than 24 hours/day	hour:minute			
G 4 1	Manufacturer				
Control Equipment	Manufacturer's Guarantee Included? If "yes", attach manufacturer's sheets immediately after these forms.	yes/N/A			
	Stack Height	feet			
	Stack Inside Diameter	feet			
	Stack Temperature	°F			
Stack	Stack Exit Velocity	feet/second			
Parameters	Actual Gas Volume Flow Rate	acfm			
	Dry Gas Volume Flow Rate If not included in detailed calculations.	dscfm			
	Stack Release Type		□ vertical	\Box capped	☐ horizontal

Notes*

Code	Description	Code	Description
LU	Limited Use	E-SI	Emergency Spark Ignition
LDG	Landfill/Digester Gas	SI4SRB	Spark Ignition 4-Stroke Rich Burn
NECI	Non-Emergency Compression Ignition	SI4SLB	Spark Ignition 4-Stroke Lean Burn
ECI	Emergency Compression Ignition	SI2SLB	Spark Ignition 2-Stroke Lean Burn

COMBUSTION EQUIPMENT APPLICATION FORM CLASS I OPERATING PERMIT (continued)

En	nission Unit Description:
1.	Subject to a Federal Regulation specific to the emission unit (e.g. 40 CFR Part 60, 61, 63, 64, 76, or other):
2.	Subject to a State Regulation specific to the emission unit (e.g. NAC 445B.2203, NAC 445B.22047, NAC 445B.22017):
3.	Identify standards for work practices which affect emissions for all regulated air pollutants (e.g. At all times, including startup, shutdown and malfunction).
4.	Identify and describe compliance and performance testing with reference to any applicable test methods, monitoring devices, compliance plan, or other activities required to determine compliance with an applicable requirement (e.g. Emissions from this unit will be monitored by CEMS and/or COMS for the specific pollutant(s) (NO _X , CO, etc.)).
5.	How will fuel consumption be monitored for this emission unit? (e.g. maximum fuel consumption rate supplied by manufacturer, fuel flow meter).
6.	Does this unit have the capability to bypass air pollution controls in an emergency situation as defined under NAC 445B.056?: □ Yes □ No

STORAGE SILO APPLICATION FORM CLASS I OPERATING PERMIT

System Number and Name:	
Emission Unit Description:	
Alternative Operating Scenario: Yes No	
Insignificant Activity: \square Yes \square No If yes, identify exemption regulation:	

			D	ata
	Description		Silo Loading	Silo Unloading
	BAPC Emission Unit ID Applicable for Renewal or Revision	eg. Unit ID: S2.001, PF1.001		
	Source Classification Code (SCC)	e.g. 3-03-024-04 for Conveyors		
	Manufacturer			
Equipment	Date Manufactured			
Description	Model Number			
	Equipment Dimensions (LxWxH)	feet		
	Drop Dimensions (LxWxH) if applicable	feet		
	Emissions Released Inside building?	yes/no		
Location of	UTM Northing (NAD 83, Zone 11)	m		
Emission Source	UTM Easting (NAD 83, Zone 11)	m		
	Material Type Processed			
	Batch Process if applicable	unit/batch		
Operating Parameters	Start Time if operating less than 24 hours/day	hour:minute		
	End Time if operating less than 24 hours/day	hour:minute		
	Manufacturer			
Control Equipment	Manufacturer's Guarantee Included? If "yes", attach manufacturer's sheets immediately after these forms.	yes/N/A		
	Stack Height	feet		
	Stack Inside Diameter	feet		
	Stack Temperature	°F		
Stack	Stack Exit Velocity	feet/second		
Parameters	Actual Gas Volume Flow Rate	acfm		
	Dry Gas Volume Flow Rate If not included in detailed calculations.	dscfm		
	Stack Release Type		vertical \square capped \square	horizontal

STORAGE SILO APPLICATION FORM CLASS I OPERATING PERMIT (continued)

Er	nission Unit Description:
1.	Subject to a Federal Regulation specific to the emission unit (e.g. 40 CFR Part 60, 61, 63, 64, 76, or other) ☐ Yes ☐ No If yes, identify regulation and applicability and include required analysis or plans (e.g. siting analysis or Continuous Assurance Monitoring (CAM) plans).
2.	Subject to a State Regulation specific to the emission unit (e.g. NAC 445B.2203, NAC 445B.22047, NAC 445B.22033 NAC 445B.22017) Wes No If yes, identify regulation and applicability.
3.	Identify standards for work practices which affect emissions for all regulated air pollutants (e.g. At all times, including startup, shutdown and malfunction).
4.	Identify and describe compliance and performance testing with reference to any applicable test methods, monitoring devices, compliance plan, or other activities required to determine compliance with an applicable requirement (e.g Emissions from this unit will be monitored by CEMS and/or COMS for the specific pollutant(s) (NO _X , CO, etc.)).

LIQUID STORAGE TANK APPLICATION FORM CLASS I OPERATING PERMIT

System Number and Name:	
Emission Unit Description:	
Alternative Operating Scenario: □ Yes □ No	
Insignificant Activity: □ Yes □ No If yes, identify exemption regulation:	

	Description		Data
	BAPC Emission Unit ID Applicable for Renewal or Revision	eg. Unit ID: S2.001, PF1.001	
	Source Classification Code (SCC)	e.g. 3-03-024-04 for Conveyors	
	Manufacturer		
	Date Manufactured		
	Model Number		
	Heated Tank	yes/no	
	Shell Height	feet	
	Shell Diameter	feet	
	Maximum Liquid Height	feet	
	Average Liquid Height	feet	
	Capacity of Tank	gallons	
Equipment	Shell Color		
Description	Shell Condition	good/poor	
	Roof Type (Cone, Dome, External, or Inter Roof)	nal Floating	
	Roof Height	feet	
	Roof Color		
	Cone Roof Slope		
	Dome Roof Radius	feet	
	True Vapor Pressure of Liquid	psig	
	Reid Vapor Pressure of Liquid	psig	
	Orientation of Tank	Horizontal/Vertical	
	Submerged Fill [NAC 445B.22093(3)]	yes/no	
	Equipment Dimensions (LxWxH)	feet	
Location of	UTM Northing (NAD 83, Zone 11)	m	
Emission Source	UTM Easting (NAD 83, Zone 11)	m	

LIQUID STORAGE TANK APPLICATION FORM CLASS I OPERATING PERMIT (continued)

Emission Unit Description:

	Description		Data
	Material Type		
Operating	Operating Time per Year	hour/year	
Parameters	Maximum Throughput	gallon/month	
	Maximum Throughput	gallon/year	
	Type of Control		
	Control Efficiency	%	
Control	Pollutant(s) Controlled		
Equipment	Manufacturer		
	Manufacturer's Guarantee Included?	yes/NA	
Volatile Organic Compounds (VOC) Emissions	Emission Limit	ton/year	
	Emission Factor (with units)	(insert unit)	
Other	Emission Factor Reference		
Pollutants	Emission Limit	pound/hour	
	Emission Limit	ton/year	

LIQUID STORAGE TANKS APPLICATION FORM CLASS I OPERATING PERMIT (continued)

En	nission Unit Description:
1.	Subject to a Federal Regulation specific to the emission unit (e.g. 40 CFR Part 60, 61, 63, 64, 76, or other) \[\textstyle \textst
2.	Subject to a State Regulation specific to the emission unit (e.g. NAC 445B.2203, NAC 445B.22047, NAC 445B.22033, NAC 445B.22017, NAC 445B.3363(1)(g): ☐ Yes ☐ No If yes, identify regulation and applicability.
3.	Identify standards for work practices which affect emissions for all regulated air pollutants (e.g. At all times, including startup, shutdown and malfunction).
4.	Identify and describe compliance and performance testing with reference to any applicable test methods, monitoring devices, compliance plan, or other activities required to determine compliance with an applicable requirement (e.g Emissions from this unit will be monitored by CEMS and/or COMS for the specific pollutant(s) (NO _X , CO, etc.)).

INDUSTRIAL PROCESS AND STORAGE SILO DETAILED CALCULATIONS

		Operati	ing Hours		Throughput			ntrols	SILO DE	THELD (Emission			
Unit No.	Unit Description	Daily	Annual	Hourly	Annual	Units	Туре	Efficiency or Dry Volume Flow Rate	Pollutant	Factor	Unit	Hourly Rate (lbs/hr)	Yearly Rate (tons/yr)	References
	System No. & Name:		- <u>!</u>		<u> </u>	•		<u> </u>			!	•	Uncontrolled	
									PM					
									PM_{10}					
									PM _{2.5}					
													Controlled	
									PM					
									PM_{10}					
									PM _{2.5}					
I	System No. & Name:		1			ı	1		D) :				Uncontrolled	
									PM					
									PM_{10}					
									PM _{2.5}				Cantuallad	
									DM (T		Controlled	
									PM PM ₁₀					
									PM _{2.5}					
	System No. & Name:		<u> </u>			1		<u> </u>	1 1412.5		<u> </u>		Uncontrolled	
	bystem 100. te 11ame.						Γ		PM				Cheomioned	
									PM_{10}					
									PM _{2.5}					
									2.5		· L	ı	Controlled	
									PM					
									PM_{10}					
									PM _{2.5}					
	System No. & Name:												Uncontrolled	
									PM					
									PM_{10}					
									PM _{2.5}					
													Controlled	
									PM					
									PM_{10}					
									PM _{2.5}					
	System No. & Name:					1	1				T		Uncontrolled	
									PM					
									PM ₁₀					
									PM _{2.5}		Ļ		Controlled	
									DM		T		Controlled	
									PM PM ₁₀					
									PM_{10} $PM_{2.5}$					
						I			F 1 V1 2.5					

^{*}Exact format may be changed, but requested information is still required.

COMBUSTION EQUIPMENT DETAILED CALCULATIONS

		COMBUSTION EQUIPMENT DETAILED CALCULA									ALCULATI							
T T *4	***	Operatii	ng Hours	Heat (MM	Input IBtu)		Fuel Usage		Power	Output		Controls			Emissions			
Unit No.	Unit Description	Daily	Annual	Hourly	Annual	Hourly	Annual	Units	Amount	Units	Туре	Efficiency or Dry Volume Flow Rate	Pollutant	Factor	Unit	Hourly Rate (lbs/hr)	Yearly Rate (tons/yr)	References
Sy	stem No. & Name:								-								ontrolled	
													PM					
													PM_{10}					
													$PM_{2.5}$					
													SO_2					
													NO _X					
													CO					
													VOC Pb					
													Hg					
													H ₂ S					
													1125			Co	ntrolled	
													PM				l	
													PM_{10}					
													PM _{2.5}					
													SO_2					
													NO_X					
													CO					
													VOC					
													Pb					
													Hg					
G	4 N. O.N.								<u> </u>				H ₂ S			TT	4 11 1	
S	vstem No. & Name:						1		1		I		PM		I I	Unc	ontrolled	
													PM ₁₀					
													PM _{2.5}					
													SO ₂					
													NO _X					
													CO					
													VOC					
													Pb					
													Hg					
													H_2S					
1													т			Co	ntrolled	
													PM					
													PM ₁₀					
													PM _{2.5}					
													SO ₂ NO _X					
													CO					
													VOC					
1													Pb					
													Hg					
													H ₂ S					
L	ı						I .		l .		I		11/0					

^{*}Exact format may be changed, but requested information is still required.

GREENHOUSE GASES (GHG) DETAILED CALCULATIONS

		GREENHOUSE GASES (GHG) DETAILED CALCULATIONS														
Unit	Unit Description Operating Hours Heat Input (MMBtu)			Fuel Usage			itrols			Emissions			References			
No.	Description	Daily	Annual	Hourly	Annual	Hourly	Annual	Units	Туре	Efficiency or Dry Volume Flow Rate	Pollutant	Factor	Unit	Hourly Rate (lbs/hr)	Yearly Rate (tons/yr)	References
	System No. & Name:															
											CO_2					
											CH ₄					
										<u> </u>	N ₂ O					
	System No. & Name:		<u> </u>		Γ	1	ı		_				ı	_	1	
											CO ₂					
											CH ₄ N ₂ O					
	System No. & Name:									<u> </u>	N ₂ O					
	System No. & Ivame.					I			I		CO ₂			I		
											CH ₄					
											N ₂ O					
	System No. & Name:				<u> </u>	<u> </u>	<u> </u>	<u></u>	!				<u>L</u>	-1	-	
	•										CO_2					
											CH ₄					
											N_2O					
	System No. & Name:															
											CO_2					
											CH ₄					
	G 4 N 0 N										N ₂ O					
	System No. & Name:				<u> </u>	ı	1		I		CO		I	T	1	
											CO ₂ CH ₄					
											N ₂ O					
	System No. & Name:						ļ				1120		<u> </u>			
	System 1100 to 11things					1				I	CO_2					
											CH ₄					
											N ₂ O					
	System No. & Name:															
											CO_2					
											CH ₄					
										<u> </u>	N_2O					
	System No. & Name:				I	•	1		1	•				1	1	
											CO_2					
											CH ₄					
	Crystom No. 9 Name				<u> </u>	<u> </u>			<u> </u>	<u> </u>	N ₂ O					
	System No. & Name:					1			1		CO_2					
											CO_2 CH_4					
											N ₂ O					
					l	I .	I	l	I	I	1120		l	1		

^{*}Exact format may be changed, but requested information is still required.

HAZARDOUS AIR POLLUTANTS (HAPS) DETAILED CALCULATIONS

	HAZARDOUS AIR POLLUTAN I									S (IIII S) DETINEED CHECCENTIONS					
¥1	TI-14	Operat	ing Hours	Heat (MM	Input (Btu)		Fuel Usage		Cont	rols		Emissions	5		
Unit No.	Unit Description	Daily	Annual	Hourly	Annual	Hourly	Annual	Units	Туре	Efficiency or Dry Volume Flow Rate	Pollutant Fact	or Unit	Hourly Rate (lbs/hr)	Yearly Rate (tons/yr)	References
	System No. & Name:														
				<u> </u>											
		 													
				•											
				 	1										
		1	1	 											
				 	1										
	1										<u> </u>				

^{*}Exact format may be changed, but requested information is still required.

FACILITY-WIDE POTENTIAL TO EMIT TABLE (FOR ALL SOURCES INCLUDING INSIGNIFICANT ACTIVITIES) (POUND/HOUR <u>AND</u> TON/YEAR)

Pollutant	Facility-Wide Potential to Emit (pound/hour)	Facility-Wide Potential to Emit (ton/year)
Total Particulate Matter (PM)		
Total PM ₁₀		
Total PM _{2.5}		
Total Sulfur Dioxide (SO ₂)		
Total Carbon Monoxide (CO)		
Total Oxides of Nitrogen (NO _X)		
Total Volatile Organic Compounds (VOC)		
Total Lead (Pb)		
Total Hydrogen Sulfide (H ₂ S)		
Total Sulfuric Acid Mist (H ₂ SO ₄)		
Total Hazardous Air Pollutants (HAPs)		
Total Greenhouse Gases (CO _{2e})		
Other Regulated Pollutants (Specify)		·
		·

REVISION TABLE

Please complete the table below if this application is for a Minor/Significant **Revision** of an existing Class I Air Quality Operating Permit. Add more columns if needed for any other applicable regulated pollutants. All Potential To Emit (PTE) values must be in tons per year (TPY) [NAC 445B.3425 and NAC 445B.344]

Description		Pollutants												
	PM	PM ₁₀	PM _{2.5}	SO ₂	NOx	со	voc	HAPs	CO _{2e}	Other				
Permitted Facility-Wide PTE (TPY)														
Proposed Facility-Wide PTE (TPY)														
Change in Facility-Wide PTE (TPY)														

SURFACE AREA DISTURBANCE FORM

- 1. Total Acres of the Facility Site: Click or tap here to enter text.
- 2. Total Acres Disturbed: Click or tap here to enter text.
- 3. Add Surface Area Disturbance location as Township(s), Range(s) and Section Click or tap here to enter text.
- 4. NAC 445B.22037 requires fugitive dust to be controlled (regardless of the size or amount of acreage disturbed), and requires an ongoing program, using best practical methods, to prevent particulate matter from becoming airborne. All activities which have the potential to adversely affect the local air quality must implement all appropriate measures to limit controllable emissions. Appropriate measures for dust control may consist of a phased approach to acreage disturbance rather than disturbing the entire area all at once; using wet suppression through such application methods as water trucks or water spray systems to control wind-blown dust; the application of soil binding agents or chemical surfactant to roadways and areas of disturbed soil; as well as the use of wind-break or wind limiting fencing designed to limit wind erosion soils.
- If the Surface Area Disturbance is greater than 5 acres, please check each box that applies for Best Management Practices (BMPs) used for controlling dust on project's disturbed areas:
 □ Water trucks
 □ Graveling/paving of roadway storage areas and staging areas
 □ Dust palliatives

Dust palliatives
Posting and limiting vehicle speeds to 10-15 miles per hour
Ceasing operations during high wind events
Fencing or berming to prevent unauthorized access to disturbed areas
Application of water sprays on material storage piles on a regular basis
Covering material storage piles with tarpaulin or geo-textiles; tenting
Use of overhead water spray racks or water hoses
Track-out controls (graveled entranced, exit area, and street sweeping)
Landscape preservation and impact avoidance
Wind fence
Pre-watering of areas to be disturbed (including all unpaved onsite roads and staging areas)
Inform all subcontractors (including truck drivers) of their responsibilities for the control of fugitive dust while they are on the project site
Training of equipment operators to recognize fugitive dust generation and having the authority to shut down operations until water truck arrives and sprays water on the disturbed areas
Other Applicable BMPs: Click or tap here to enter text.
Other Applicable BMPs: Click or tap here to enter text.
If using water trucks, list how many water trucks are used and their capacity in gallons:
Click or tap here to enter text.

PLANT BOUNDARY COORDINATES FORM

TEANT DOUNDANT COORDINATES FORM				
Corner Number	UTM Easting	UTM Northing		

PLANT BUILDING PARAMETERS FORM

Building Parameters Building Name: Roof Height (ft):		Building Tier : Building Diameter (ft):	
Building UTM Coordinates			
UTM Easting	UTM Northing	UTM Easting	UTM Northing
Building Parameters Building Name: Roof Height (ft):		Building T	
Building UTM Coordinates			_
UTM Easting	UTM Northing	UTM Easting	UTM Northing

APPLICATION CERTIFICATION DOCUMENT

(With Required Attachments)

Please check all applicable boxes below to indicate the information provided in your application submittal:

Cover Page		
General Company Information Form		
Compliance Plan		
Industrial Process Application Form(s)		
Combustion Equipment Application Form(s)		
Storage Silo Application Form(s)		
Liquid Storage Tank Application Form(s)		
Manufacturer's Guarantee		
Facility-Wide Potential to Emit Table		
Revision Table		
Surface Area Disturbance Form		
Plant Boundary Coordinates Form		
Plant Building Parameters Form		
Detailed Emission Calculations (for all emission units including IA units)		
Source Testing Data (if referenced in calculations)		
Process Narrative (revision applications must include a description of the revision)		
Process Flow Diagram(s)		
Site Plan(s) showing the locations (UTM coordinates), dimensions, and heights of buildings on the site		
Maps:		
☐ Vicinity Map of where the facility is located in the State		
Area Map of the Facility (including location of all emission units, building locations (with UTMs), location of front gate, and fence line/site boundary (with UTMs))		
Environmental Evaluation (AERMOD Air Dispersion Modeling Report and Electronic Input Files) (NAC 445B.310, NAC 445B.311)		
Manufacturer's Guarantee if applicable		
Equipment Specifications if applicable		
TANKs Modeling Output if applicable		
Application Fee Attached or Electronically Submitted		
Digital Copy of Application on CD or Thumb Drive		
Application Certification Document with Original Responsible Official Signature		

APPLICATION CERTIFICATION DOCUMENT (CONTINUED)

(With Required Attachments)

PLEASE NOTE THE FOLLOWING REQUIREMENTS WHICH APPLY TO PERMIT APPLICANTS DURING THE APPLICATION PROCESS:

- A. A permit applicant must submit supplementary facts or corrected information upon discovery. (NAC 445B.297(1)(b))
- B. A permit applicant is required to provide any additional information which the Director requests in writing within the time specified in the Director's request. (NAC 445B.297(1)(c))
- C. Submission of fraudulent data or other information may result in prosecution for an alleged criminal offense. (NRS 445B.470)

CERTIFICATION:

I certify that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete.

Signature of Responsible Official		
Print or Type Name and Title		
Date		