

STATE OF NEVADA

Department of Conservation & Natural Resources

Jim Gibbons, Governor Allen Biaggi, Director

DIVISION OF ENVIRONMENTAL PROTECTION

Leo M. Drozdoff, P.E., Administrator

March 11, 2010

Mr. Mark Paris **Basic Remediation Company** 875 West Warm Springs Road Henderson, NV 89011

Bainbridge Island, WA 98110

Mr. Joe Kelly Montrose Chemical Corp of CA 600 Ericksen Ave NE, Suite 380

Mr. Matt Paque Tronox LLC 3301 NW 150th Oklahoma City, OK 73134

Mr. Brian Spiller Stauffer Management Co LLC 1800 Concord Pike Wilmington, DE 19850-6438

Mr. Curt Richards Olin Corporation 3855 North Ocoee Street, Suite 200, Cleveland, TN 37312

> Mr. Craig Wilkinson **Titanium Metals Corporation** PO Box 2128 Henderson, NV 89009

Re BMI Plant Sites and Common Areas Projects, Henderson, Nevada

Soil Physical and Chemical Property Measurement and Calculation Guidance

Dear Sirs and Madam:

All of the parties listed above shall be referred to as "the Companies" for the purposes of this letter. Attachment A provides guidance regarding measurement and calculations for soil physical and chemical properties. The pertinent changes have been highlighted in Attachment A.

Please contact me with any questions (tel: 702-486-2850 x247; e-mail: brakvica@ndep.nv.gov).

Sincerely,

Brian A Rakvica, P.E. Supervisor, Special Projects Branch **Bureau of Corrective Actions** Fax: (702) 486-5733

BAR:s

ECC: Jim Najima, NDEP, BCA, Carson City Shannon Harbour, NDEP, BCA, Las Vegas William Knight, NDEP, BCA, Las Vegas Todd Croft, NDEP, BCA, Las Vegas Greg Lovato, NDEP, BCA, Carson City

CC: Barry Conaty, Holland & Hart LLP, 975 F Street, N.W., Suite 900, Washington, D.C. 20004 Brenda Pohlmann, City of Henderson, PO Box 95050, Henderson, NV 89009 Mitch Kaplan, U.S. Environmental Protection Agency, Region 9, mail code: WST-5, 75 Hawthorne Street, San Francisco, CA 94105-3901

Ebrahim Juma, Clark County DAQEM, 500 South Grand Central Parkway, PO Box 555210, Las Vegas, NV, 89155-5210

Ranajit Sahu, BRC, 311 North Story Place, Alhambra, CA 91801

Rick Kellogg, BRC, 875 West Warm Springs, Henderson, NV 89011

Kirk Stowers, Broadbent & Associates, 8 West Pacific Avenue, Henderson, Nevada 89015 George Crouse, Syngenta Crop Protection, Inc., 410 Swing Road, Greensboro, NC 27409 Nicholas Pogoncheff, PES Environmental, Inc., 1682 Novato Blvd., Suite 100, Novato, CA 94947-7021

Lee Erickson, Stauffer Management Company LLC, P.O. Box 18890 Golden, CO 80402 Michael J. Foster, Tronox LLC, P.O. Box 268859, Oklahoma City, OK 73126-8859 Tom Reed, Tronox LLC, P.O. Box 268859, Oklahoma City, OK 73126-8859 Keith Bailey, Environmental Answers, 3229 Persimmon Creek Drive, Edmond, OK 73013 Susan Crowley, Crowley Environmental LLC, 366 Esquina Dr., Henderson, NV 89014 Mike Skromyda, Tronox LLC, PO Box 55, Henderson, Nevada 89009 Jeff Gibson, AMPAC, 3883 Howard Hughes Pkwy, Ste 700, Las Vegas, NV 89169

Cindi Byrns, Olin Chlor Alkali, PO Box 86, Henderson, Nevada 89009

Paul Sundberg, Montrose Chemical Corporation, 10733 Wave Crest Court Stockton, CA 95209

Deni Chambers, Northgate Environmental Management, Inc., 300 Frank H. Ogawa Plaza, Suite 510, Oakland, CA 94612

Robert Infelise, Cox Castle Nicholson, 555 California Street, 10th Floor, San Francisco, CA 94104-1513 Michael Ford, Bryan Cave, One Renaissance Square, Two North Central Avenue, Suite 2200, Phoenix, AZ 85004

Dave Gratson, Neptune and Company, 1505 15th Street, Suite B, Los Alamos, NM 87544 Paul Black, Neptune and Company, Inc., 8550 West 14th Street, Suite 100, Lakewood, CO 80215 Teri Copeland, 5737 Kanan Rd., #182, Agoura Hills, CA 91301 Paul Hackenberry, Hackenberry Associates, 550 West Plumb Lane, B425, Reno, NV, 89509

Attachment A

Determination of the physical and chemical properties of the vadose zone soils are needed for site-specific evaluations of soil leaching and vapor intrusion. Soil samples should be collected for the evaluation of the physical character of the subsurface during site characterization. Soil can be submitted to a laboratory for the measurement of dry bulk density, grain density, moisture content, and grain size. The recommended geotechnical laboratory methods are as follows:

- Dry Bulk Density ASTM D2937;
- Grain Density ASTM D854;
- Moisture Content ASTM D2216; and
- Grain Size ASTM D422 using both sieve and hydrometer for soil particles finer than No. 200 sieve.

•

Total porosity is a calculated value using the equation (Fetter, 2001):

$$n = 1$$
 ρ_s

```
where: n = total porosity;

\rho_b = dry bulk density (M/L<sup>3</sup>); and

\rho_s = density of solids (M/L<sup>3</sup>).
```

Soil moisture (gravimetric basis) content reported as a percent is converted to volumetric using the equation (Fetter, 2001):

$$\theta_w = \left(\frac{\rho_b}{\rho_w}\right)\theta_g$$

```
where: \theta_w = volumetric water content (dimensionless); \rho_b = dry bulk density (M/L³); \rho_w = density of water (M/L³); and \theta_g = gravimetric water content (percentage).
```

Air-filled porosity is calculated using the equation:

$$\theta_{\alpha} = n - \theta_{w}$$

where: θ_a = air filled porosity (dimensionless).

For use of the soil-water partition (SWP) equation to calculate leaching-based site-specific levels (LSSLs) and unsaturated zone leaching models the soil chemical parameters fraction organic carbon (F_{oc}) and soil pH may be used to calculate a site-specific distribution coefficient (K_d). The recommended laboratory methods are as follows:

- Fraction Organic Carbon Walkley-Black method (Nelson and Sommers, 1992); and
- Soil pH ASTM 4972.

The NDEP does not approve the use of methods or standards that are not currently and actively supported by the organization that originally developed them.

REFERENCES

ASTM International, 2000, Standard Test Methods for Moisture, Ash, and Organic Matter of Peat and Other Organic Soils, Designation: D 2974-00. West Conshohocken, PA, www.astm.org.

ASTM International, 2000, Standard Test Method for Density of Soil in Place by the Drive-Cylinder Method, Designation: D 2937-00. West Conshohocken, PA, www.astm.org.

ASTM International, 2001, Standard Test Method for pH of Soils, Designation: D 4972-01. West Conshohocken, PA, www.astm.org.

ASTM International, 2002. Test Method Particle-Size Analysis of Soils, Designation: D 422-63 (2002). West Conshohocken, PA, www.astm.org.

ASTM International, 2006, Standard Test Methods for Specific Gravity of Soil Solids by Water Pycnometer, Designation: D854-06. West Conshohocken, PA, www.astm.org.

Fetter, C. W., 2001. Applied Hydrogeology. Prentice Hall, Upper Saddle River, N.J., 598 p.

Nelson, D. W., and L. E. Sommers. 1982. Total Carbon, Organic Carbon, and Organic Matter. In: A. L. Page et al. (editors), Methods of Soil Analysis: Part 2 Chemical and Microbiological Properties. ASA [American Society of Agronomy, Inc.] Monograph Number 9, p. 539 – 579.